ELSEVIER

Volume 265 Numbers 1–2, 30 January 1998

Journal of ALLOYS AND COMPOUNDS

# Contents

**Letter**

New ternary representatives of the $Fe_2P$ structure type . . . . . L1
P. Salamakha, O. Sologub (L'viv, Ukraine), J.K. Yakinthos, Ch.D. Routsi (Xanthi, Greece)

**Physics**

Magnetic properties and magnetic structure of $HoFe_{11}Ti$ and its hydrides . . . . . 1
A. Apostolov, R. Bezdushnyi, N. Stanev, R. Damianova (Sofia, Bulgaria), D. Fruchart, J.L. Soubeyroux, O. Isnard (Grenoble, France)

$(Hf,Zr)_2Fe$ and $Zr_4Fe_2O_{0.6}$ compounds and their hydrides: phase equilibria, crystal structure and magnetic properties . . . . . 6
I.Yu. Zavaliy, A.B. Riabov, V.A. Yartys (Lviv, Ukraine), G. Wiesinger, H. Michor, G. Hilscher (Vienna, Austria)

Slater–Pauling dependence of $Dy[(Fe_{0.4}Co_{0.6})_{1-x}Al_x]_2$ intermetallics . . . . . 15
J. Pszczoła, B. Winiarska (Kraków, Poland), Z. Kucharski, J. Suwalski (Świerk-Otwock, Poland)

Magnetic properties of the compounds $Er_{1-x}Nd_xFe_{11.35}Nb_{0.65}$ $(0 \leq x \leq 0.5)$ . . . . . 23
K.-Y. Wang, D.-X. Chen, J. Arcas, M. Multigner, J. Velazquez, P. Crespo, M. Vazquez, A. Hernando (Madrid, Spain)

Structure and magnetic properties of $GdMn_{1-x}Co_xSi$ compounds . . . . . 26
W.D. Qin, F.M. Yang, J.L. Wang, N. Tang, J.F. Hu, X.P. Zhong (Beijing, P.R. China), F.R. de Boer (Amsterdam, The Netherlands)

Electron paramagnetic resonance and optical absorption studies of $Cu^{2+}$ ions in alkali barium borate glasses . . . . . 29
R.P.S. Chakradhar, A. Murali, J.L. Rao (Tirupati, India)

Magnetic properties of the $UCo_{1-x}Pt_xAl$ solid solutions . . . . . 38
A.V. Andreev (Sendai, Japan), I.K. Kozlovskaya, V. Sechovský (Prague, The Czech Republic)

Physical properties and giant magnetoresistance in RNiSb compounds . . . . . 42
I. Karla (Grenoble, France and Osnabrück, Germany), J. Pierre (Grenoble, France), R.V. Skolozdra (Lviv, Ukraine)

Thermomagnetic behaviors of Fe–Cr–N films with perpendicular magnetic anisotropy . . . . . 49
D.-L. Peng, K. Sumiyama, K. Suzuki (Sendai, Japan)

A neutron diffraction study of magnetic ordering in $DyMn_{6-x}Cr_xGe_6$ compounds (I) . . . . . 56
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal, G. André (Gif sur-Yvette, France), K.H.J. Buschow (Amsterdam, The Netherlands)

A neutron diffraction study of magnetic ordering in $DyMn_{6-x}Cr_xGe_6$ compounds (II) . . . . . 61
P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal, G. André (Gif-sur-Yvette, France), K.H.J. Buschow (Amsterdam, The Netherlands)

Mössbauer spectral and magnetic investigations of $RFe_{10}Cr_2$ compounds (R=rare earth) . . . . . 70
J.J. Bara, B.F. Bogacz, A.T. Pędziwiatr (Cracow, Poland), P. Stefański, A. Szlaferek, A. Wrzeciono (Poznań, Poland)

On the localization of the transition metal atoms in $HoFe_{0.5}Si_2$ and in the related $RFe_xSi_2$ (R=heavy RE element) compounds 77
N.M. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

**Chemistry**

Synthesis and fluorescent properties of europium–polymer complexes containing naphthoate ligand . . . . . 81
C. Du, Y. Xu, L. Ma (Shanghai, China), W. Li (Changchun, China)

Magnetic studies of nanosized nickel ferrite particles synthesized by the citrate precursor technique . . . . . 87
S. Prasad, N.S. Gajbhiye (Kanpur, India)

Phase diagram of the system K-Te . . . . . 93
M.N. Khabachev (Ekaterinburg, Russia), K.A. Chuntonov (Petah Tikva, Israel)

Elsevier Science S.A.

Synthesis and structural investigation of a new ternary transition metal nitride, $Co_3W_3N$ . . . . . 96
K.S. Weil, P.N. Kumta (Pittsburgh, PA, USA)

Hydrogen stabilization. Nine isotypic orthorhombic $A_5Pn_3H$ phases (among A=Ca, Sr, Ba, Sm, Eu, Yb; Pn=Sb, Bi) formerly described as binary $\beta$-$Yb_5Sb_3$-type compounds . . . . . 104
E.A. Leon-Escamilla, J.D. Corbett (Ames, IA, USA)

Synthesis, crystal structure refinement and electrical properties of uranium oxysulfide, UOS . . . . . 115
N. Sato, H. Masuda, M. Wakeshima, K. Yamada, T. Fujino (Sendai, Japan)

Synthesis and some properties of the phase $Cr_2V_4O_{13}$ . . . . . 121
E. Filipek, J. Walczak, P. Tabero (Szczecin, Poland)

Mutual separation characteristics for the yttrium and lanthanides with chemical vapor transport process mediated by metal chloride gaseous complexes . . . . . 125
T. Ozaki, J. Jiang, K. Murase, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Low-temperature synthesis of crystallized $Ca_{1-x}Sr_xTiO_3$ solid-solution films on titanium substrates by a modified hydrothermal–electrochemical technique . . . . . 132
M. Yoshimura (Yokohama, Japan), O. Asai (Kawasaki, Japan), W.-S. Cho, M. Yashima (Yokohama, Japan), Y. Suzuki (Kawasaki, Japan), M. Kakihana (Yokohama, Japan)

Calorimetric measurements on rare earth pyrohafnates $RE_2Hf_2O_7$ (RE=La,Eu,Gd) . . . . . 137
R. Babu, K. Nagarajan (Tamil Nadu, India)

The synthesis and crystal structure of $Rb_4TmI_6$: Lattice energy calculations on networks of condensed cubes . . . . . 140
G. Miller, M. Smith (Ames, IA, USA), M. Wang, S. Wang (Beijing, P.R. China)

Standard enthalpies of formation for europium, gadolinium, and lutetium oxychlorides, calculated from measured enthalpies of solution . . . . . 146
J.B. Burns (Knoxville, TN, USA), J.R. Peterson (Knoxville and Oak Ridge, TN, USA), R.G. Haire (Oak Ridge, TN, USA)

Thermodynamic properties of the rare earth element vapor complexes. $LaAl_4Cl_{15}$, $CeAl_4Cl_{15}$ and $HoAl_2Cl_9$ . . . . . 153
Z.-C. Wang, L.-S. Wang (Liaoning, China)

**Metallurgy**

Thermodynamics of the Ag–Bi–In system (with $0<x_{Ag}<0.5$) . . . . . 160
V. Vassiliev (Moscow, Russia), M. Alaoui-Elbelghiti, A. Zrineh (Rabat, Morocco), M. Gambino, J.P. Bros (Marseille, France)

X-Ray study of the $n$GeTe·$m$$Bi_2Te_3$ mixed layered tetradymite-like compounds . . . . . 170
O.G. Karpinsky, L.E. Shelimova, M.A. Kretova (Moscow, Russia), J.-P. Fleurial (Pasadena, CA, USA)

Comparative study of thermodynamic predicting methods applied to the Pb–Zn–Ag system . . . . . 176
D. Živković, Ž. Živković (Bor, Yugoslavia), Y.-H. Liu (Beijing, P.R. China)

A study of structural and thermodynamic properties of the $YNi_{5-x}Al_x$–hydrogen system . . . . . 185
B. Šorgić, Ž. Blažina, A. Drašner (Zagreb, Croatia)

Refining of tantalum by silicon deoxidation . . . . . 190
A. Awasthi, N. Krishnamurthy, Y.J. Bhatt, R. Venkataramani (Mumbai, India), Y. Ueda (Kyoto, Japan), S.P. Garg (Mumbai, India)

X-Ray single crystal refinements on some CeFeSi-type RTX compounds (R=RE elements; T=Mn, Fe, Co, Ru; X=Si, Ge). Evolution of the chemical bonds . . . . . 196
R. Welter, I. Ijjaali, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Thermodynamics of the (Rh–Ga) system . . . . . 201
P. Anres, M. Gaune-Escard, J.P. Bros (Marseille, France)

Investigation of the crystallographic structures of $LaNi_4CoD_{4.4}$ and $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}D_x$ ($x$=2.0 and 4.6 D/f.u.) by neutron powder diffraction . . . . . 209
M. Latroche, A. Percheron-Guégan (Meudon, France), F. Bourée-Vigneron (Gif sur Yvette, France)

**Materials Science**

Review article
Critical review on the elastic properties of transition metal carbides, nitrides and carbonitrides . . . . . 215
C. Kral, W. Lengauer, D. Rafaja, P. Ettmayer (Vienna, Austria)

Luminescence properties of lanthanide complexes and their silica-based composites . . . . . 234
T. Jin, S. Inoue, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Shape restoration effect associated with order–disorder transformation in equiatomic AuCu and AuCu–Ga alloys . . . . . 240
M. Ohta, T. Shiraishi, R. Ouchida, M. Nakagawa, S. Matsuya (Fukuoka, Japan)

Effect of alloying on the microstructure and mechanical properties of $Ni_3Al$ . . . . . 249
S.K. Shee (Calcutta, India), S.K. Pradhan (Pin, India), M. De (Calcutta, India)

Influence of oxygen on hydrogen storage and electrode properties for micro-designed V-based battery alloys . . . . . 257
M. Tsukahara, K. Takahashi, A. Isomura (Aichi, Japan), T. Sakai (Osaka, Japan)

Influence of amorphization on electrode performances of $AB_2$ type hydrogen storage alloys . . . . . 264
X. Yang, Y. Lei, C. Wang, G. Zhu, W. Zhang, Q. Wang (Hangzhou, P.R. China)

Multicomponent mechanical alloying of Fe–Cu–Nb–Si–B . . . . . 269
J.Y. Yang, J.S. Wu (Shanghai, P.R. China), T.J. Zhang, K. Cui (Wuhan, P.R. China)

Giant magnetoresistance of $Cu_3Al$–$Cu_2MnAl$ melt-spun ribbons . . . . . 273
S. Sugimoto, S. Kondo, H. Nakamura, D. Book, Y. Wang, T. Kagotani, R. Kainuma, K. Ishida, M. Okada, M. Homma (Sendai, Japan)

Surface and electrode properties of $Zr(V_{0.25}Ni_{0.75})_2$ alloy treated with ultrasound-solution . . . . . 281
J. Chen, D.H. Bradhurst, S.X. Dou, H.K. Liu (Wollongong, NSW, Australia)

Influence of the nitriding process on the nitrogen distribution in the bulk magnetic compound $Sm_2(Fe,Co)_{17}$ . . . . . 286
V. De Pauw, D. Lemarchand, C. Iacob (Mont-Saint-Aignan, France)

Synthesis of nanocrystalline zinc ferrite powders from sulphuric pickling waste water . . . . . 291
F.A. López, A. López-Delgado, J.L.M. de Vidales, E. Vila (Madrid, Spain)

Investigation of scales resulted from a high-temperature sulphidation of Fe–Cr alloys . . . . . 297
J. Cieślak, S.M. Dubiel, Z. Żurek (Kraków, Poland)

AC impedance studies of the discharge process of a $Mg_2Ni$-type hydrogen storage alloy electrode in 6M KOH solution . . . . 305
N. Cui, J.L. Luo (Edmonton, Alberta, Canada)

Powder diffraction line broadening in hydrogen activated $LaNi_{3.55}Mn_{0.4}Al_{0.3}Co_{0.75}$ and its hydride studied by synchrotron radiation . . . . . 311
J.-M. Joubert, R. Černý (Genève, Switzerland), M. Latroche, A. Percheron-Guégan (Meudon, France), K. Yvon (Genève, Switzerland)

Corrigendum . . . . . 315

Errata . . . . . 317

Author Index of Volume 265 . . . . . 321

Subject Index of Volume 265 . . . . . 323